### **FASTER PLEASE!**

# FAST ECONOMICAL PRINTER PERFORMANCE IN A SMALL FOOTPRINT





TSC<sup>TM</sup> is pleased to introduce the blazing fast TDP-247 series of direct thermal label printers. This outstanding series of printers offers both best-inclass speed and high-resolution capabilities along with TSC's exceptional durability and reliability. The TDP-247 series delivers ideal performance for product marking, shipping, retail and other labeling applications – all at the best available prices.

The TDP-247 series features two fast models. The TDP-247 printer is a 203 dpi resolution, 4" wide printer that prints at speeds up to 7 inches per second. The TDP-345 printer offers high resolution 300 dpi printing at speeds up to 5 inches per second. Both models come standard with USB, Parallel and Serial connections. Other outstanding options include an inexpensive internal Ethernet interface for easy integration into network systems, label cutters, and a keyboard for printing labels in stand-alone or down-time situations.

The easy to load center-biased clamshell design holds a large roll of labels and fits into areas other printers cannot and integrates easily into a wide range of applications. Simply open the cover and drop your labels into the printers. Top of form sensing by gap, black mark, or notch is standard and completely adjustable from side to side.

With enhanced electronics, the TDP-247 offers a 200 MHz processor, standard memory of 4 MB

Flash, 8 MB SDRAM and a slot for SD memory expansion that increases Flash storage up to 4 GB. The printer supports standard industry emulations right out of the box including Eltron® and Zebra® printer language.

### **Key Printer Features**

- ▶ High quality double-walled clamshell design
- ▶203 dpi and 300 dpi resolution versions
- ▶ Direct thermal print technology
- ▶Easy media loading
- ▶Head-up sensor
- ▶USB 2.0, Parallel and Serial connectivity standard
- ▶ Optional internal Ethernet
- ▶Optional label peel & present
- ▶Optional cutter
- ▶Optional stand-alone keyboard

### Markets for the TDP-247 Series

- ▶Small office or home office mailing
- ▶ Product marking
- ▶ High resolution print and graphic applications
- Shipping
- ▶File folder labeling
- ▶ Retail Point-of-Sale
- ▶Shelf labeling
- ▶ Healthcare specimen labeling
- Inventory and asset management



Value · Performance · Support

## TDP-247. TDP-345

### **DESKTOP DIRECT THERMAL BAR CODE PRINTER**



### **SPECIFICATIONS**

SPECIFICATIONS		
Printer Model	TDP-247	TDP-345
Resolution	203 DPI	300 DPI
Printing method	_	Thermal Thermal
<u> </u>	2, 3, 4, 5, 6, 7 ips	2, 3, 4, 5 ips
Print speed	2, 3 ips selectable with peel function	2 ips selectable with peel function
Max. print width	108 mm (4.25")	106 mm (4.17")
Max. print length	2,286 mm (90")	1,016 mm (4.17)
, ,		, , , , ,
Enclosure	Double-walled plastic	
Physical dimension	240 mm (L) x 200 mm (W) x 164 mm (H)	
i nysicat annension	9.45" (L) x 7.87" (W) x 6.46" (H)	
Label roll capacity	127 mm (5") OD	
Processor	32-bit RISC CPU	
Memory	4 MB Flash memory 8 MB SDRAM SD card reader for memory expansion, up to 4 GB	
Interface	<ul> <li>SD card reader for memory expansion, up to 4 GB</li> <li>RS-232 (max. 115,200 bps)</li> <li>Centronics</li> <li>USB 2.0 (full speed mode)</li> </ul>	
B	AC Input: 100-240V univarsal switching power supply	
Power	DC output: 24V 3.75A (external adaptor)	
Operation switch, button	One power switch, one feed button & one LED (3 colors)	
Operation Switch, button		
Sensors	Gap transmissive sensor     Moveable black mark reflective sensor     Head open sensor	
Internal font	<ul> <li>Eight alpha-numeric bitmap fronts</li> <li>One Monotype Imaging® CG Triumvirate Bold Condensed scalable font</li> <li>Built-in Monotype® True Type Font engine</li> </ul>	
Bar code	1D bar code Code 39, Code 93, Code 128UCC, Code 128 subset A, B, C, Codabar, Interleave 2 of 5, EAN-8, EAN-13, EAN-128, UPC-A, UPC-E, EAN and UPC 2 (5) digits add-on, MSI, PLESSEY, POSTNET, RSS-Stacked, RSS14, GS1 DataBar, Code 11 China Post 2D bar code PDF-417, Maxicode, DataMatrix, QR Code, Aztec	
Font & bar code rotation	0, 90, 180, 270 degrees	
Printer language	TSPL-EZ™	
Media type	Continuous, die-cut, black mark, fan-fold, notch	
* *	Outside wound	
Media wound type	20~112 mm (0.78" ~ 4.4")	
Media width		
Media thickness	0.06~0.19 mm (2.3 ~ 7.4 mil), max. 150 g/m²	
Media core diameter	25.4~76.2 mm (1"~3")	
Label length	Min. 10 mm (0.4")	
Label length (peeler mode)	25.4~152.4 mm (1"~6")	
Label length (cutter mode)	25.4~2,286 mm (1"~90")	25.4~1,016 mm (1"~40")
•	Operation: 5~40°C (41~104°	F), 25~85% non-condensing
Environment condition		°F), 10~90% non-condensing
Safety regulation		lass B, UL, CUL, TÜV/Safety, CCC
Accessories	<ul> <li>Windows labeling software CD disk</li> <li>Quick start guide</li> <li>USB cable</li> <li>External universal switching power supply</li> <li>Power cord</li> <li>Label spindle, fixing tab x 2, 1.5" core adap</li> </ul>	
Limited warranty	<ul> <li>Printer: 2 years</li> <li>Print head: 1 million inches (25 km) or 12 months which comes first</li> <li>Platen: 50 km</li> </ul>	
Factory option	Real time clock     Main board intergrated with internal Ethernet	
Dealer option	<ul> <li>Peel off module assembly</li> <li>Guillotine cutter</li> <li>Full cut: Paper thickness: 0.06~0.19 mm, 500,000 cuts</li> <li>Partial cut: Paper thickness: 0.06~0.12 mm, 500,000 cuts</li> <li>Paper thickness: 0.19 mm, 200,000 cuts</li> </ul>	
User option	<ul> <li>Keyboard display unit (KU-007 Plus and KP</li> <li>Long range linear imaging bar code scanne</li> <li>External roll mount, media OD. 214 mm (8.4</li> <li>3" core label spindle</li> <li>Bluetooth module</li> </ul>	r (HCS-200)





### **Legacy Technology Services**

### We Rent & Sell All Types Of Barcode Equipment

### Call now to talk to an expert

866-271-9891

#### About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

### **Latest Hardware from top manufacturers**

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

### **Expert Repair and Maintenance services**

· Legacy is one of the best repair facilities in North America

#### **Discontinued product sourcing**

 They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

#### Trade-in and Disposal services

- That old equipment laying around your facility may still have some value.
   Legacy routinely purchases equipment from our clients around the globe.
  - · Data destruction
  - · Hardware disposal
  - Auditing services

#### Dedicated client account team

 Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

### **Equipment rental services**

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.









Toll Free: 866-271-9891

Fax: 888-522-4684



Smarter

www.LegacyGlobal.com
Some brands we carry



















