ZXP Series 8[™] Retransfer Card Printer



Innovative, Best-in-Class Retransfer Card Printer

With best-in-class, productivity-boosting, full-throttle throughput, produce vivid color plastic cards on demand fast—thanks to Zebra's highly advanced ZXP Series 8 retransfer card printer and its patentpending image transfer process. Yet even at unparalleled print speeds, the printer achieves superior, photo-like image quality that boasts rich, consistent colors and strikingly sharp resolution.

The ZXP Series 8 includes ZMotif[™] XML-based software for easy integration with enterprise applications. A modular design gives you the flexibility to add a variety of encoding options as needed. And the printer's high reliability minimizes maintenance needs and total cost of ownership.

Ideal for

Michael

EMPLOYEE # 743921

Blake

Wo

- ID and access control cards
- Government-issued driver's licenses
- National ID and voter registration cards
- Instant issuance of financial cards
- Personalized gift, membership and loyalty cards
- Smart cards in travel, gaming and entertainment

Genuine Zebra[™] Supplies

Genuine Zebra supplies meet stringent quality standards and are recommended for optimal printing quality and proper printer performance. The ZXP Series 8 printer is designed to work only with Zebra True Colours[®] i Series[™] ribbons, Zebra True Colours[™] i Series transfer film and Zebra True Secure[™] i Series laminates.



For more information, visit www.zebra.com/zxpseries8

ZXP Series 8

Superior Performance

- Best-in-class throughput for printing, encoding and laminating—due in part to the patentpending simultaneous 2-sided retransfer process plus efficient landscape print mode—increases your operational efficiency without sacrificing quality.
- Based on Zebra's image-processing technology, photo-quality color and resolution are obtained to meet your quality and brand specifications.
- Designed inside and out to be reliable and durable—reducing repair costs and downtime.

Easy Printer Integration and Management

- ZMotif XML-based drivers and SDK makes the printer enterprise-ready with driver and management utility tools for easy setup and faster deployment—saving IT time and costs.
- Microsoft[®] Windows[®] certified drivers ensure application compatibility, ease of use, and investment protection in existing software infrastructures.
- USB and Ethernet connectivity interfaces are standard for easy integration into local or networked systems.

Modular Design With Order-Now or Add-Later Options

- Magnetic stripe encoder
- · Smart card contact and contactless encoders

Security Features

- Laminator module option for single- or dual-sided lamination
- Transfer film easily shows tamper evidence for built-in fraud protection
- · Lockable enclosure and card feeder option prevents unauthorized use
- Kensington® lock slot to secure printer to work environment

Genuine Zebra Supplies

- Zebra True Colours i Series intelligent ribbon and transfer film automatically calibrate printer increasing productivity, reducing downtime, and minimizing training.
- Zebra's True Secure i Series laminates create highly secure ID cards, and the patented linerless laminate is waste-free and lowers the cost per card.
- Choose Zebra for quality plastic cards in a variety of types and materials.
- For high-quality output, rely on Zebra ribbons, transfer film and laminate consumables.
- Use Zebra custom design services to create a unique laminate hologram for enhanced security.



Innovative Hardware Matched with Innovative Software

The Zebra ZXP Series 8 printer is based on new leading-edge software technology that enables high-performance printing and meets demanding enterprise needs for application integration and management.


ZMotif, Zebra's new XML standards-based printer and job control software platform, delivers the benefits of card printing transparently via Windows® certified drivers, along with an advanced Software Development Kit (SDK) and development tools for application integration and printer management.

The new ZXP toolbox application provides a complete management console for advanced printer and driver configuration and management. Features such as user role-based driver password protection, configuration save and restore capability, print logging, and a library suite of test cards, ensure that setup and management of ZXP Series 8 printers are a snap whether by a single user or via advanced multiple printer configurations management.

About Retransfer Printing Technology

Unlike traditional direct-to-card printers, which use a printhead that prints through a ribbon directly onto the card, retransfer printers print onto a flexible, transparent film that is then thermally bonded to the card. In general, benefits of retransfer printing include:

- Higher image quality and print resolution
- The ability to print on uneven card surfaces such as smart cards
- True edge-to-edge printing (via over-theedge printing). Traditional card printers leave a white border at the edges of the card.
- The ability to print on non-PVC cards. Directto-card printers require a dye-receiving surface available only through PVC cards.
- More durable and abrasion-resistant cards
- Fraud protection, since the film is inherently tamper-evident



Advantages of Zebra's Innovative Retransfer Card Printer

Zebra's ZXP Series 8 printer achieves the fastest print speed while maintaining top image quality, making it the best-in-class retransfer printer available on the market.

- Zebra achieves print speeds that far exceed any other retransfer printer, and that are comparable to many of the fastest direct-to-card printers on the market today.
- Zebra's image-processing technology compensates for image errors normally caused by high printing speeds—enabling photo-quality images and print resolution even at increased print speeds.
- Zebra's patent-pending simultaneous dual-sided image transfer process applies film to both sides of the card in a single pass, drastically reducing the print time.

The result is photo-like image quality and best-inclass throughput for mainstream printing, encoding and laminating—so you enjoy increased operational efficiency.



Printing

- Dye sublimation retransfer
- · Full color or monochrome retransfer printing
- · Single- and dual-sided printing
- Max print speed single-side 190 cph*
- Max print speed dual-sided 180 cph*
- · Photo quality image
- · Over-the-edge printing on standard CR80 media
- * Print speed based on click to drop, average print coverage, with USB connectivity, card per hour (cph).

Standard Features

- · USB and Ethernet connectivity
- · Single-card feed capability
- 150 card capacity feeder (30 mil)
- · 15 card reject hopper (30 mil)
- 100 card output hopper (30 mil)
- i Series[™] intelligent media technology
- · Auto-calibration of media
- · 21-character, 6 line LCD operator display
- 304 dpi (12.0 dots/mm) print resolution
- 64 MB memory standard
- · Lifetime warranty on printhead
- · 2-year limited warranty on printer
- Microsoft[®] Windows[®] certified drivers
- Kensington physical lock capable

Options and Accessories

- · Laminator-single-sided and dual-sided
- Lockable enclosure/card feeder
- ZebraCare[™] warranty programs
- · 802.11b/g wireless connectivity
- Card input hopper (150 cards 30 mil)

Encoding Options & Specifications

- Smart card contact station—ISO 7816
- Magnetic stripe encoder—ISO 7811 and JIS-II* (high and low coercivity)
- Combined MIFARE[®] ISO 14443 (13.56 MHz) and ISO 7816 contact encoder
- · EMV level 1 certified
- UHF Gen 2 RFID encoder**
- FeliCa contactless encoder**
- Encoding over Ethernet—requires ZBR-PS300 Ethernet-to-USB Device Server
- **Available in future release

Laminator Specifications

- · Single-or dual-sided lamination option (with dualsided printer only)
- 180 cards per hour dual-sided printing and dualsided lamination
- GSA FIPS 201 approved (dual-sided lamination)
- · Uses Zebra True Secure i Series laminates only
- · Laminate for the top and bottom sold separately
- Custom-coded laminates available

ZMotif Software

Microsoft Windows Certified Printer Drivers Supported: Windows XP, Windows Vista®, Windows Server® 2003, Windows 7 32 bit and 64 bit compatible

Driver Features:

- Graphical card orientation setting to visualize card printing setup and configuration
- · Card source and card type selection
- Complete graphical control over area and element selection of black extraction parameters
- · Auto sensing of ribbon type, laminator and smart card encoding options

Toolbox Utility Features:

- · Printer configuration tools and utilities for complete control over all printer functions and features
- Optional password protection settings and user role-based security settings prevent accidental or unauthorized driver or printer configuration changes
- · Complete technology card management enables setup and testing of all printer and encoder features and functionality
- · Printer test cards and diagnostics utilities ensure error-free printing and fast troubleshooting capabilities

XML-Based SDK:

- Downloadable SDK for custom applications
- · XML-based SDK enables third parties to quickly add advanced print and encoding features to the ZXP printer
- Capabilities include direct access to PC/SC Smart Card encoder driver and XML-based job control print job specifications
- Support for complete Uv printer and inhibit panel support

Supplies

- Zebra i Series intelligent technology uses RFID tags to authenticate and automate color ribbons, transfer film and laminate
- Media Starter Kit—1 YMCK ribbon, 1 roll of transfer film, 200 PVC cards, 2 cleaning rollers (kit not sold separately)

· Cleaning supplies

True Colours i Series Ribbon

- YMCK 4 panel: 625 images/roll
- YMCKK 5 panel: 500 images/roll
- YMCUvK 5 panel: 500 images/roll
- YMCKI 5 panel: 500 images/roll
- YMCKKI 6 panel: 415 images/roll
- YMC 3 panel: 800 images/roll
- Monochome black: 2500 images/roll

True Colours i Series Transfer Film

· Clear and holographic: 1250 single-sided/650

True Secure i Series Laminate

dual-sided cards/roll

- Linerless & waste-free 1.0 mil top and bottom laminate: 625 images/roll
- · Laminate types: clear top, clear bottom, magnetic stripe, signature, smart card, and holographic wallpaper designs
- · Custom laminates available with holographic images
- · Custom coded laminates available

www.zebra.com

Corporate Headquarters +1 800 423 0442

Email: inquiry4@zebra.com

Other Locations

USA: California, Georgia, Illinois, Rhode Island, Texas, Wisconsin Europe: France, Germany, Italy, the Netherlands, Poland, Spain, Sweden, Turkey,

(LA Headquarters in USA), Mexico Africa/Middle East: Dubai, South Africa

Asia-Pacific Headquarters +65 6858 0722 Email: apacchannelmarketing@zebra.com

United Kingdom Asia Pacific: Australia, China, Hong Kong, India, Japan, Malaysia, South Korea, Singapore, Thailand Latin America: Brazil, Florida

EMEA Headquarters +44 (0)1628 556000 Email: mseurope@zebra.com

Card Specifications

- Card thickness: 30 40 mil
- Card size: ISO 7810 format, Type ID-1, CR-80 size
- · Card material: PVC and composite, ABS cards, PET, PET-G, and Teslin® composite**
- · Specialty cards: transparent (IR-blocked) or translucent card 30 mil (clear and colored)***
- Technology cards: contact and contactless smart cards, UHF cards**
- ***Please contact your Zebra reseller for qualification of cards

Communications Interfaces

Single-phase AC power

• Depth: 20.4"/519 mm

Environmental

non-condensing

non-condensing

non-condensing

recommended.

respective owners.

100V~240V AC and 50-60 HZ

Height (w/card hoppers): 13.2"/334 mm

• Width (w/card hoppers): 18.75"/476 mm

Weight (printer only): 27.5 lbs/12.5 kg

· Weight (printer, laminator): 44 lbs/20 kg

Storage Humidity: 10% to 90% inclusive,

Shipping Humidity: 10% to 90% inclusive,

104° F/40° C for longer than 100 hours

NOTE: For optimum print quality and printer

*Specifications subject to change without notice

©2011 ZIH Corp. CardSense, i Series, True Secure and all product

Corp. All rights reserved. Kensington is a registered trademark of ACCO Brands Corporation. Microsoft, Windows, Windows Server,

Windows Vista are either registered trademarks or trademarks of Microsoft Corporation. MIFARE is a registered trademark of Philips

Semiconductors Gratkorn GMBH Ltd. Teslin is a registered trademark of PPG Industries. HID and iClass are registered trademarks of HID Global Corporation. All other trademarks are the property of their

+1 847 955 2283

Latin America Headquarters

Email: inquiry4@zebra.com

GSA#: GS-35F-0268N

P1010491 Rev. 6 (6/11)

names and numbers are Zebra trademarks, and Zebra, the Zebra

head graphic and True Colours are registered trademarks of ZIH

performance, use of Zebra genuine supplies is

• Width (w/card hoppers, w/laminator): 30.75"/781 mm

• Operating Temperature: 59° F/15° C to 95° F/35° C

- Shipping Temperature: -40° F/-40° C to 140° F/60° C

• Media should not be above 140° F/60° C for longer

than 200 hours, and above 90% relative humidity at

• Storage Temperature: 23° F/-5° C to 131° F/55° C • Operating Humidity: 20% to 80% inclusive,

USB V2 0

Electrical

Physical

Printer

• 10/100 Ethernet (encoding over Ethernet requires ZBR PS-300 Ethernet-to-USB Device Server)

Legacy Technology Services

We Rent & Sell All Types Of Barcode Equipment

Call now to talk to an expert 866-271-9891

About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

· Legacy is one of the best repair facilities in North America

Discontinued product sourcing

• They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value. Legacy routinely purchases equipment from our clients around the globe.
 - Data destruction
 - · Hardware disposal
 - Auditing services

Dedicated client account team

• Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.





<u>Legacy, Inc.,</u> 160 West Road, Ellington, CT 06029

Toll Free: 866-271-9891 Fax: 888-522-4684

www.LegacyGlobal.com

Some brands we carry







Honeywell













